


Aerovox[®]

**Pulse & Custom
Capacitors**

CAPACITORS FOR PULSE,
FLASH LAMP, LASER
AND CUSTOM AC OR
DC APPLICATIONS



Intelligent Capacitor Solutions




Aerovox's deep technical capabilities and flexible manufacturing processes enable us to meet the unique requirements of demanding pulse, flash lamp, laser and other custom applications. We have a long history in the pulse power area where different capacitor technologies are needed to satisfy the particularly stringent requirements of pulsing applications.



Our custom capacitors are designed and built using state-of-the-art technologies and computer-integrated manufacturing systems under an ISO 9001-certified quality management system. They undergo rigorous quality assurance testing, including 100% electrical and visual testing to further ensure reliability and high level performance.

Aerovox provides intelligent capacitor solutions.



Pulse & Custom Capacitors

CAPACITORS FOR PULSE, FLASH LAMP, LASER
AND CUSTOM AC OR DC APPLICATIONS



Aerovox offers aluminum foil and polypropylene capacitor construction as well as single-sided metallized polypropylene for use in pulse-forming and DC filtering applications.

Highlights

- High voltage up to 50,000 VDC
- Designed for user specified life
- Dry or oil-filled with an environmentally “green” fluid
- Multiple terminal configurations
- Metal or plastic case designs
- Low inductance

Specifications

Capacitance Range:	0.01 μ F to 50,000 μ F
Capacitance Tolerance:	\pm 3% to \pm 10%
DC Voltage Range:	Up to 50 kV
Operating Life:	Up to 100 million shots
Operating Temperature Range:	-40°C to +55°C typical Higher temperature limit available

Applications

- Utility UPS
- Magnetic Forming
- MARX Generator Banks
- Strobe Lights
- Flash Lamps
- Particle Accelerators
- Pulsed Lasers
- High Energy Dynodes
- DC Filters

Typical Specifications

AEROVOX TYPE	TYPE S	TYPE Z	TYPE Q	TYPE C
Electrodes	Aluminum foil	Single side	Single side	Single side
Dielectric	Polypropylene	Polypropylene	Polypropylene	PET (high energy density)
Impregnated	Yes	Yes	Yes	Yes
Dry	No	Yes	Yes	Yes
Capacitance Range	0.1 to 1,000 μ F	1 to 4,000 μ F	10 to 6,000 μ F	100 to 10,000 μ F
Voltage Levels	0.5 to 50 kV	0.5 to 50 kV	1 to 50 kV	0.3 to 1.5 kV
Peak Current Levels	Up to 150 kA	Up to 60 kA	Up to 30 kA	Up to 10 kA
Pulse Life, Nominal	250K to 10 million	100 million	250K	250K
Rep Rate	1 to 120 per minute	1 to 120 per minute	1 to 4 per minute	Up to 2 per minute

Pulse & Custom Capacitors

CAPACITORS FOR PULSE, FLASH LAMP, LASER
AND CUSTOM AC OR DC APPLICATIONS

Typical Specifications (cont.)

AEROVOX TYPE	TYPE S	TYPE Z	TYPE Q	TYPE C
Reversal	Up to 95%	Up to 90%	Up to 80%	Up to 20%
DC Life	20,000 hours	N/A	N/A	N/A
DF% @ 120 Hz	N/A	0.10%	0.60%	1.50%
DF% @ 1 kHz	0.50%	1.0%	N/A	N/A
Energy Density (J/gm)	0.08	0.19	1.0	0.7
Energy Density (J/cc)	0.12	0.21	1.1	1.0

Package: Metal Case, Oil-Filled

Round	No	Yes	Yes	Yes
Oval	Yes	Yes	Yes	Yes
Rectangular	Yes	Yes	Yes	Yes

Package: Metal Case, Epoxy-Filled

Oval	No	Yes	No	No
Rectangular	No	Yes	Yes	Yes

Package: Plastic Case, Epoxy-Filled

Round	No	Yes	Yes	Yes
Oval	No	Yes	Yes	Yes
Box	No	Yes	Yes	Yes
Tubular	No	Yes	Yes	Yes
Function	Pulse forming and DC filtering			

About Aerovox

Aerovox is a leading provider of film capacitors for industrial, medical and specialized applications serving original equipment manufacturers (OEM) and distributors. The company has world-class design, manufacturing and testing facilities in New Bedford, Massachusetts and global manufacturing facilities in China and India to enable quick turn-around for shipping and delivery worldwide.

Aerovox capacitors are among the world's most reliable components. Our extensive custom design and development capabilities coupled with broad, standardized product offerings allow us to provide intelligent capacitor solutions that meet or exceed our customers' application requirements.

Our aim is to be the best and most sought after provider of capacitor solutions for specialty markets.

Aerovox®

Aerovox Corp.
167 John Vertente Blvd.
New Bedford, MA 02745
Tel: +1-508-994-9661
Fax: +1-508-995-3000
www.aerovox.com

Aerovox China
28 Wangchun Rd.
Ningbo, Zhejiang
China

Aerovox India
Plot # 30 to 33
Hardware Park
Imarat Kanha
Raviryal Village
Maheshwaram Mandal
R R District – 500 066
Andhra Pradesh State
India

Copyright 2013, Aerovox Corp. All rights reserved.
Aerovox is a registered trademark of Aerovox Corp.

PS01308 Printed in the USA